

S41	0	((acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) near10 (propt\$6 characterictics voltage current temperature data value) near10 (solar) adj (batter\$5 panel)) and (record\$5 stor\$5 sav\$6 hold\$6) and (tranmit\$7 display\$5 present\$5 stag\$6) and ((execut\$5 run\$7) near10 (funct\$8 program\$7 routin\$6) near5 (separat\$5 independent\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 07:31
S42	0	((acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) near10 (propt\$6 characterictics voltage current temperature data value) near10 (solar) adj (batter\$5 panel)) and (record\$5 stor\$5 sav\$6 hold\$6) and (transmit\$7 display\$5 present\$5 stag\$6) and ((execut\$5 run\$7) near10 (funct\$8 program\$7 routin\$6) near5 (separat\$5 independent\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 07:32
S43	2043	(acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) near10 (propt\$6 characterictics voltage current temperature data value) near10 (solar adj (batter\$5 panel cell))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:49
S44	1218	(acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) near5 (propt\$6 characterictics voltage current temperature data value) near5 (solar adj (batter\$5 panel cell))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 07:33
S45	13	(remot\$6 network\$6 distant\$6) near3 (acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) near5 (propt\$6 characterictics voltage current temperature data value) near5 (solar adj (batter\$5 panel cell))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 09:56
S46	1319	((acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) near10 (propt\$6 characterictics voltage current temperature data value)) and ((record\$5 stor\$5 sav\$6 hold\$6) and (tranmit\$7 display\$5 present\$5 stag\$6) and (UDP TCP DDE OLE FTP)) and ((execut\$5 run\$7) near10 (funct\$8 program\$7 routin\$6) near5 (separat\$5 independent\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 08:41
S47	1033	((acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) near5 (propt\$6 characterictics voltage current temperature data value)) and ((record\$5 stor\$5 sav\$6 hold\$6) and (tranmit\$7 display\$5 present\$5 stag\$6) and (UDP TCP DDE OLE FTP)) and ((execut\$5 run\$7) near5 (funct\$8 program\$7 routin\$6) near5 (separat\$5 independent\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:59
S48	23	((acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) near5 (propt\$6 characterictics voltage current temperature data value)) and ((record\$5 stor\$5 sav\$6 hold\$6) and (tranmit\$7 display\$5 present\$5 stag\$6) near5 (UDP TCP DDE OLE FTP)) and ((execut\$5 run\$7) near5 (funct\$8 program\$7 routin\$6) near5 (separat\$5 independent\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 09:55
S49	2	"6370569".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 08:45
S50	0	((acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) near5 (propt\$6 characterictics voltage current temperature data value)) and ((record\$5 stor\$5 sav\$6 hold\$6) and (tranmit\$7 display\$5 present\$5 stag\$6) near5 (UDP TCP DDE OLE FTP)) and ((execut\$5 run\$7) near5 (funct\$8 program\$7 routin\$6) near5 (separat\$5 independent\$6))) and "6370569".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 08:47
S51	407	((acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) near5 (propt\$6 characterictics voltage current temperature data value) near5 (device object (measurement adj target) equipment instrument appliance)) and ((record\$5 stor\$5 sav\$6 hold\$6) and (tranmit\$7 display\$5 present\$5 stag\$6) and (UDP TCP DDE OLE FTP)) and ((execut\$5 run\$7) near5 (funct\$8 program\$7 routin\$6) near5 (separat\$5 independent\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 10:09
S52	335	((acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) near3 (propt\$6 characterictics voltage current temperature data value) near3 (device object (measurement adj target) equipment instrument appliance)) and ((record\$5 stor\$5 sav\$6 hold\$6) and (tranmit\$7 display\$5 present\$5 stag\$6) and (UDP TCP DDE OLE FTP)) and ((execut\$5 run\$7) near5 (funct\$8 program\$7 routin\$6) near5 (separat\$5 independent\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 09:37

S53	1151	(remot\$6 network\$6 distant\$6) near3 (acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) near5 (propt\$6 characteristics voltage current temperature data value) near5 ((solar adj (batter\$5 panel cell))(measurement adj target) equipment instrument appliance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 09:59
S54	9	(remot\$6 network\$6 distant\$6) near3 (acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) adj (propt\$6 characteristics voltage current temperature data value) adj ((solar adj (batter\$5 panel cell))(measurement adj target) equipment instrument appliance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 09:59
S55	11	(remot\$6 network\$6 distant\$6) near3 (acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) adj (propt\$6 characteristics voltage current temperature data value) adj ((solar adj (batter\$5 panel cell))(measurement adj target) equipment instrument appliance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/12 11:27
S56	53	(acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) adj (propt\$6 characteristics voltage current temperature data value) adj ((solar adj (batter\$5 panel cell))(measurement adj target))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/12 10:17
S57	0	(acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) adj (propt\$6 characteristics voltage current temperature data value) adj ((solar adj (batter\$5 panel cell))(measurement adj target)) and ((record\$5 stor\$5 sav\$6 hold\$6) and (tranmit\$7 display\$5 present\$5 stag\$6) and (UDP TCP DDE OLE FTP)) and ((execut\$5 run\$7) near5 (funct\$8 program\$7 routin\$6) near5 (separat\$5 independent\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 10:10
S58	0	(acqui\$8 collect\$5 measur\$5) adj (performance operational) adj (propt\$6 characteristics voltage current temperature data value) adj ((solar adj (batter\$5 panel cell))(measurement adj target))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/12 10:18
S59	0	(acqui\$8 collect\$5 measur\$5) near5 (performance operational) adj (propt\$6 characteristics voltage current temperature data value) adj ((solar adj (batter\$5 panel cell))(measurement adj target))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/12 10:18
S60	12	(acqui\$8 collect\$5 measur\$5) near5 (performance operational) near5 (propt\$6 characteristics voltage current temperature data value) near5 ((solar adj (batter\$5 panel cell))(measurement adj target))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 15:46
S61	22	(performance operational) near5 (propt\$6 characteristics voltage current temperature data value) near5 ((solar adj (batter\$5 panel cell))(measurement adj target)) same (acqui\$8 collect\$5 measur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/12 10:35
S62	0	(performance operational) near5 (propt\$6 characteristics voltage current temperature data value) near5 (measurement adj target) same (acqui\$8 collect\$5 measur\$5) same (operating adj system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/12 10:36
S63	2	(performance operational) near5 (propt\$6 characteristics voltage current temperature data value) near5 (measurement adj target)and (acqui\$8 collect\$5 measur\$5) same (operating adj system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/12 10:37
S64	4	"4222665".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/12 11:28
S65	68139	(solar adj (batter\$5 panel cell))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 15:47

S66	0	(multitask\$5) near5 (OS (operating near3 system)) and (acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) near10 (propt\$6 characterictics voltage current temperature data value) near10 (solar adj (batter\$5 panel cell))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:50
S67	109	(OS (operating near3 system)) and (acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) near10 (propt\$6 characterictics voltage current temperature data value) near10 (solar adj (batter\$5 panel cell))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:50
S68	74	((acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) near3 (propt\$6 characterictics voltage current temperature data value)) same((record\$5 stor\$5 sav\$6 hold\$6) same (display\$5 present\$5 stag\$6) and (UDP TCP DDE OLE FTP)) and ((execut\$5 run\$7) near5 (funct\$8 program\$7 routin\$6) near5 (separat\$5 independent\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:04
S69	354400	(acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) near3 (propt\$6 characterictics voltage current temperature data value) near20(record\$5 stor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:14
S70	122991	(acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) near3 (propt\$6 characterictics voltage current temperature value) near20(record\$5 stor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:16
S71	922	(acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) near3 (propt\$6 characterictics voltage current temperature value) near20(record\$5 stor\$5) and S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:16
S72	188	(acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) near3 (propt\$6 characterictics voltage current temperature value) near20(record\$5 stor\$5) and S65 and (OS (Operating near3 system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 08:04
S73	3	"4205265".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:29
S74	68182	(solar adj (batter\$5 panel cell))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 08:04
S75	3	"709"/\$.ccls. and (acqui\$8 collect\$5 obtain\$5 receiv\$5 determin\$5 measur\$5) near3 (propt\$6 characterictics voltage current temperature value) near20(record\$5 stor\$5) and S74 and (OS (Operating near3 system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 08:04